
CERTIFICATE OF ANALYSIS





Batch #: SMM0542 Laboratory Number: ATL-8274

Sample Description: D8 Mega Mix 25mg

Unit Weight: 8.8024g / Gummy



Report Issue Date: 08/12/2022

Order Date: 08/11/2022 Analysis Date: 08/12/2022

Extraction Technician: LL Analytical Chemist: LL

Hernan Pristo Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/gummy	%		Analyte	LOQ (mg/g)	Results mg/gummy	%	\square	Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.06	0	0		THCV-A	<0.06	0	0		9S-HHC	<0.01	0	0
CBDV	<0.03	0	0		CBN	<0.03	0	0		СВС	<0.06	0	0
CBD-A	<0.03	0	0		D9-ТНС	<0.03	0	0		CBC-A	<0.03	0	0
CBG-A	<0.03	0	0		D8-THC	<0.03	31.42	0.36		THC-A	<0.03	0	0
CBG	<0.02	0	0		9R-D10-TH	c <0.02	0	0		D9-THCP	<0.03	0	0
CBD	<0.01	0	0		9S-D10-TH	< 0.02	0	0		D8-THCO	<0.02	0	0
тнси	<0.01	0	0		9R-HHC	<0.01	0	0	\bigwedge				//
		Max	Active ⁻	тнс	mg/gummy 0	% 0	Total Ac Cannabi	X		mg/gummy 31.42	% 0.36		
		Max	Active	CBD	mg/gummy 0	% 0	Total Cannabi	inoids	$\langle \rangle$	mg/gummy 31.42	% 0.36		
NOT	TES		ł		XX			XV					

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabiol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) PR-Hexahydrocannabinol(9R-HHC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinol(09-THCP) Delta-8-Tetrahydrocannabinol-0-Acetate (D8-THCO)

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

(954) 515 - 0200 Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>> \$ info@accuratetestlab.com