CERTIFICATE OF ANALYSIS



EMPE USA

Customer: 2035 NW 23rd Avenue

Miami 33142 FL

Batch #: 56759

Laboratory Number: ATL-15133

Report Issue Date: 8/31/2024

Order Date: 8/30/2024

Analysis Date: 8/30/2024

Sample Description:

CBG+CBD FS MCT Oil Tincture 30ml

2000mg

Unit Weight: 30ml / Bottle



Extraction Technician: LL Analytical Chemist: LL

> Kim Dang Laboratory Manager

CANNABINOID PROFILE -16 COUNTS

Analyte	LOQ (mg/g)	Results mg/bottle	%		Analyte	LOQ (mg/g)	Results mg/bottle	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	9.900	0.033		THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	N/D
CBG-A	<0.008	N/D	N/D		D9-THC	<0.014	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBG	<0.007	1103.400	3.678	1	D8-THC	<0.005	N/D	N/D
CBD	<0.008	1088.400	3.628		9S-D10-THC	<0.005	N/D	N/D
тнсу	<0.008	N/D	N/D		9R-D10-THC	<0.002	N/D	N/D
		1//		7/				

Analyte	LOQ (mg/g)	Results mg/bottle	%
СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

Max Active THC	mg/bottle N/D	% N/D
// /-/-/	ma /bottla	%
Max Active CBD	mg/bottle	3 63

Total Active	mg/bottle	%
Cannabinoids	2201.70	7.34
4 1		%
Total	mg/bottle	70
Cannabinoids	2201.70	7.34

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabidiolic(CBG) Cannabidiolic(CBC)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8- Tetrahydrocannabinol(D9-THC)

9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

