

CERTIFICATE OF ANALYSIS



EMPE USA
Customer: 2035 NW 23rd Avenue
 Miami 33142 FL

Batch #: 220D9BS
Laboratory Number: ATL-13661

Report Issue Date: 6/2/2024
Order Date: 5/26/2024
Analysis Date: 5/31/2024

Sample Description:
 D9 Gummy Berry Mix



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 4.0556g / Gummy

Abraham Jacaman
 Laboratory Manager

CANNABINOID PROFILE -15 COUNTS

Analyte	LOQ (mg/g)	Results mg/	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	3.691	0.091
D8-THC	<0.005	1.419	0.035
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
CBC	<0.009	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/	%
CBC-A	<0.005	N/D	N/D
THC-A	<0.03	N/D	N/D

Max Active THC	mg/gummy	%
	3.69	0.09

Total Active Cannabinoids	mg/gummy	%
	5.11	0.13

Max Active CBD	mg/	%
	N/D	N/D

Total Cannabinoids	mg/	%
	5.11	0.13

NOTES

Cannabidiol(CBD) Cannabidiolol(CBDA) Cannabigerolol(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabinol(THC) Tetrahydrocannabinolol(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 03 Effective Date: 5/16/2024

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)