

# CERTIFICATE OF ANALYSIS



Customer: EMPE USA  
2035 NW 23rd Avenue  
Miami 33142 FL

Batch #: BMPD8GC15322  
Laboratory Number: ATL-14113

Report Issue Date: 6/29/2024  
Order Date: 6/21/2024  
Analysis Date: 6/29/2024

Sample Description:  
D8 Diamond Sauce - Green Crack



Extraction Technician: LL  
Analytical Chemist: LL

Unit Weight: 2g / Jar

*Abraham Giacaman*  
Laboratory Manager

## CANNABINOID PROFILE -15 COUNTS

Analyte	LOQ (mg/g)	Results mg/jar	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	677.860	33.89
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/jar	%
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1064.420	53.22
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
CBC	<0.009	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/jar	%
CBC-A	<0.005	N/D	N/D
THC-A	<0.03	N/D	N/D

<b>Max Active THC</b>	mg/jar	%
	N/D	N/D

<b>Total Active Cannabinoids</b>	mg/jar	%
	1742.28	87.11

<b>Max Active CBD</b>	mg/jar	%
	677.86	33.89

<b>Total Cannabinoids</b>	mg/jar	%
	1742.28	87.11

## NOTES

Blank space for notes.

Cannabidiol(CBD) Cannabidiolol(CBDA) Cannabigerol(CBG) Cannabigerolol(CBGA) Cannabivarin(CBDV) Cannabivarinol(CBDVA) Tetrahydrocannabinol(THC) Tetrahydrocannabinolol(THCA) Tetrahydrocannabinololol(THCA) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenol(CBCA)

Document ID: ATL-225 Revision: 03 Effective Date: 5/16/2024

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)