CERTIFICATE OF ANALYSIS



EMPE USA

Customer: 2035 NW 23rd Avenue

Miami 33142 FL

Batch #: D8W210121

Laboratory Number: ATL-14112

Report Issue Date: 6/29/2024

Order Date: 6/21/2024

Analysis Date: 6/29/2024

Sample Description:

D8 Diamond Sauce - Watermelon Zkittles

Unit Weight: 2g / Jar



Extraction Technician: LL Analytical Chemist: LL

Abraham Gacaman Laboratory Manager

CANNABINOID PROFILE -15 COUNTS

				_ \			v V	
Analyte	LOQ (mg/g)	Results mg/jar	%		Analyte	LOQ (mg/g)	Results mg/jar	%
CBDV-A	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D
CBDV	<0.011	N/D	N/Ð		CBN	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D		D9-THC	<0.014	N/D	N/D
CBG-A	<0.008	N/D	N/D	14	D8-THC	<0.005	662.180	33.10
CBG	<0.007	N/D	N/D	1	9S-D10-THC	<0.005	N/D	N/D
CBD	<0.008	1170.520	58.52		9R-D10-THC	<0.002	N/D	N/D
THCV	<0.008	N/D	N/D		СВС	<0.009	N/D	N/D
1/-		1/10/2	B -41 / 7		maliar	0/6	×	45

Analyte	LOQ (mg/g)	Results mg/jar	%
CBC-A	<0.005	N/D	N/D
THC-A	<0.03	N/D	N/D

	Max Active THC	mg/jar N/D	% N/D
/	Max Active CBD	mg/jar 1170.52	% 58.53

Total Active	mg/jar	%
Cannabinoids	1832.70	91.64
Total	mg/jar	%
Cannabinoids	1832.70	91.64

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabigerolic Acid(CBGA) Cannabidiolic(CBG) Cannabidiolic(CBC)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8- Tetrahydrocannabinol(D9-THC)

9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)