**Customer:** 

EMPE USA 2035NW 23rd Ave Miami, 33142, FL ACCURATE TEST LAB

Report Issue Date 12/31/2023

Analysis Date 12/31/2023

Extraction Technician: Hanalytical Chemist: H

Hernan Prieto

Sample ID: Laboratory Number D8BD13021 / Blue Dream

Laboratory Number: ATL-3815

Sample Description/Size:

D8 Disposable / 1g



Order Date

12/30/2023

## CANNABINOID PROFILE

Cannabinoids (HPL	_C)	Resu	lts	Can	nabin	oid (%	6)			
Test	LOD (mg/	mg/disposable	%	0	2	20	40	60	80	100
Cannabidivarin (CBDV)	<0.05	0	0							
Cannabidiolic Acid (as CBD)	<0.0	0	0							
Cannabigerolic Acid (as CBG)	<0.0	0	0							
Cannabigerol (CBG)	<0.0	0	0							
Cannabidiol (CBD)	<0.0	0	0							
Cannabinol (CBN)	<0.0	0	0							
Delta 9-Tetrahydrocannabinol (THC)	<0.0	0	70		7					
Delta 8-Tetrahydrocannabinol	<0.0	923.4	92.35	$\overline{\Delta}$	ППИ	MIM	MATHI	HIMITH	444444	

## **Cannabinoids Total**

Delta-9-Tetrahydrocannabinolic Acid (as THC)

Delta 10-Tetrahydrocannabinol (THC)I

Cannabichromene(CBC)

Test	mg/disposable %	0 20 40 60 80	10
Max Active THC	0 0		
Max Active CBD	0 0		
T.Active Cannabinoids	923.4 92.35		
Total Cannabinoids	923.4 92.35		HIJI

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected

0

0

0

<0.0

<0.0

<0.0

Ó

0

0