**Customer:** 

**EMPE USA** 2035 NW 23rd Ave Miami, 33142, FL

**ACCURATE** 

Report Issue Date 12/31/2023

Extraction Technician: Analytical Chemist:

Hernan Prieto

Sample ID:

D8WZ13021 / Watermelon Zkittles

**Laboratory Number: ATL-3813** 

Sample Description/Size:

D8 Disposable / 1g



Order Date 12/30/2023

Analysis Date 12/31/2023

## CANNABINOID **PROFILE**

Cannabinoids (HPLC		Resu	lts	Canna	<b>binoid (</b> 9	%)			
Test	LOD (mg/	mg/disposable	%	0	20	40	60	80	100
Cannabidivarin (CBDV)	<0.05	0	0					#	
Cannabidiolic Acid (as CBD)	<0.0	0	0						
Cannabigerolic Acid (as CBG)	<0.0	0	0						
Cannabigerol (CBG)	<0.0	0	0						
Cannabidiol (CBD)	<0.0	0	0						
Cannabinol (CBN)	<0.0	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.0	0	0						
Delta 8-Tetrahydrocannabinol	<0.0	883.8	88.39		HIMIN	HIMATH	ТИППИЛ	ШЩЩ	1111111
Delta 10-Tetrahydrocannabinol (THC)I	<0.0	0	0	/////				1	
Cannabichromene(CBC)	<0.0	0	0						
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.0	0	0						

## **Cannabinoids Total**

Test	mg/disposable %	0 20	40 60 80	10
Max Active THC	0 0			
Max Active CBD	0 / 0			
T.Active Cannabinoids	883.8 88.39	ИПППППППППППППППППППППППППППППППППППППП		111111
Total Cannabinoids	883.8 88.39	<u>ДИНИНИНИЦИИ</u>	HIIIIIIIIIIIHHHHIIIIIIIIIIIIIIIIIIIIIII	

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected