

Customer:

EMPE USA  
0235 NW 23rd Ave  
Miami, 33142, FL

Sample ID:

112093

Laboratory Number:

ATL-3506



Report Issue Date  
1/3/2024

Extraction Technician: H  
Analytical Chemist: H

Sample Description/Size:

Mango Tincture  
D8 600mg per 30ml bottle



*Hernan Prieto*

# CANNABINOID PROFILE

Order Date  
12/16/2024

Analysis Date  
12/29/2024

## Cannabinoids (HPLC)

## Results

## Cannabinoid (%)

Test	LOD (mg/)	mg/bottle	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<0.05	0	0						
Cannabidiolic Acid (as CBD)	<0.0	0	0						
Cannabigerolic Acid (as CBG)	<0.0	0	0						
Cannabigerol (CBG)	<0.0	0	0						
Cannabidiol (CBD)	<0.0	0	0						
Cannabinol (CBN)	<0.0	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.0	0	0						
Delta 8-Tetrahydrocannabinol	<0.0	650.7	2.17						
Delta 10-Tetrahydrocannabinol (THC)	<0.0	0	0						
Cannabichromene(CBC)	<0.0	0	0						
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.0	0	0						

## Cannabinoids Total

Test	mg/bottle	%	0	20	40	60	80	10
Max Active THC	0	0						
Max Active CBD	0	0						
T.Active Cannabinoids	650.7	2.17						
Total Cannabinoids	650.7	2.17						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.  
N/D = Not Detected