

CERTIFICATE OF ANALYSIS



Customer: EMPE USA
2035 NW 23rd Avenue
Miami 33142 FL

Batch #: D8MAS001
Laboratory Number: ATL-11481

Report Issue Date: 01/23/2024
Order Date: 01/16/2024
Analysis Date: 01/18/2024

Sample Description:
D8 Herbal Shisha Mango



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 100g / Shisha

Hernan Prieto
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/shisha	%
CBDV-A	<0.06	N/D	N/D
CBDV	<0.03	N/D	N/D
CBD-A	<0.03	N/D	N/D
CBG-A	<0.03	N/D	N/D
CBG	<0.02	N/D	N/D
CBD	<0.0	N/D	N/D
THCV	<0.0	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/shisha	%
THCV-A	<0.06	N/D	N/D
CBN	<0.03	N/D	N/D
D9-THC	<0.03	N/D	N/D
D8-THC	<0.03	1414.00	1.41
9R-D10-THC	<0.0	N/D	N/D
9S-D10-THC	<0.0	N/D	N/D
9R-HHC	<0.01	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/shisha	%
9S-HHC	<0.01	N/D	N/D
CBC	<0.06	N/D	N/D
CBC-A	<0.03	N/D	N/D
THC-A	<0.03	N/D	N/D
D9-THCP	<0.03	N/D	N/D
D8-THCO	<0.02	N/D	N/D

Max Active THC	mg/	%
	N/D	N/D

Total Active Cannabinoids	mg/	%
	1414.00	1.41

Max Active CBD	mg/shisha	%
	N/D	N/D

Total Cannabinoids	mg/	%
	1414.00	1.41

NOTES

Blank area for notes.

Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD)
Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC)
Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC)

Document ID: ATL-225 Revision: 02 Effective Date: 01/09/2024

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)